Clovir

Acyclovir

Composition

Clovir Eye Ointment: Each gram ointment contains Acyclovir BP 30 mg.

Description

Acyclovir is an antiviral agent. It is highly active against Herpes simplex and Varicella zoster in vitro. It is dependent on conversion by viral thymidine kinase, to the active triphosphate compound which then appears selectively, inhibit Herpes virus DNA polymerase enzyme. Acyclovir Ointment rapidly absorbs through the corneal epithelium & superficial ocular tissue, with the result that viral toxic concentration are achieved in aqueous humour.

Indication

Clovir Eye Ointment is used for the treatment of Herpes simplex keratis.

Dosage & Administration

Apply ointment into lower conjunctival sac five times daily at 4 hours interval; continue for minimum 3 days after healing.

Adverse reaction

In some patient mild & transient stringing may occur after application. Also superficial punctuate keratopathy& Blepharitis have been reported. No adverse report has been recorded during the use of Acyclovir Eye Ointment in pregnancy & lactation.

Contraindication

It is contraindicated to the patients with known history of hypersensitivity to Acyclovir.

Precaution

Clovir Eye Ointment should not be used after one month from the date of opening the tube.

Presentation

Clovir Eye Ointment: Clovir is available in 5 gm tube.

IBN SINA

Manufactured by
The IBN SINA Pharmaceutical Industry Ltd.
Shafipur, Kaliakoir, Gazipur, Bangladesh